Volume 97, Number 6, November–December 1992
Journal of Research of the National Institute of Standards and Technology

Subject Index to Volume 97

Numbers in parenthesis after the page number are the issue numbers

No. 1 January-February
No. 2 March-April
No. 3 May-June
No. 4 July-August
No. 5 September-October
No. 6 November-December

A

advanced ceramic ..... 579(5)
air-saturated water ..... 335(3)
alumina ..... 579(5)
amplitude distributions ..... 635(6)
atomic spectroscopy ..... 213(1), 217(1)
automated adiabatic calorimetry ..... 341(3)

C

cables ..... 373(3)
calcium hydrogenurate hexahydrate ..... 365(3)
calculable capacitor ..... 299(2)
calibration ..... 267(2), 335(3), 673(6)
calibration atlas ..... 409(4)
carbon disulfide ..... 409(4)
carbon monoxide ..... 409(4)
carbonyl sulfide ..... 409(4)
cascaded ..... 673(6)
characteristic impedance ..... 533(5)
chemical vapor deposition (CVD) ..... 387(3)
circuit theory ..... 533(5)
coherent radiation ..... 327(3)
combustion ..... 245(2)
combustion products ..... 245(2)
computer graphics ..... 471(4)
conditional distributions ..... 635(6)
continuous wave ..... 673(6)
coulomb blockade ..... 299(2)
coupler ..... 673(6)
crystallite distribution ..... 341(3)

D

data administration ..... 611(5)
data architecture ..... 611(5)
density of water ..... 335(3)
diamond ..... 387(3)
differential scanning calorimetry ..... 341(3)
dispersion ..... 693(6)
double variation ..... 693(6)

E

electron charge ..... 299(2)
electron counting ..... 299(2)
electron microscopy ..... 253(2)
electron microscope ..... 267(2)
electronic circuits ..... 635(6)
electronic configurations ..... 213(1), 217(1)
electron-impact cross sections ..... 689(6)
energy levels ..... 213(1), 217(1)
excitation ..... 689(6)

F

fine-structure constant ..... 299(2)
fitting formulas ..... 689(6)
flow measurement ..... 509(5)
fluid meter characterization ..... 509(5)
fracture ..... 579(5)
fracture toughness ..... 579(5)

G

generalized logarithms and exponentials ..... 471(4)
glass transition ..... 341(3)

H

heat capacity ..... 341(3)
helium ..... 689(6)
hollow-cathode lamp ..... 1(1)
hydrogen ..... 689(6)

I

immersion method ..... 693(6)
indentation ..... 579(5)
industry consortium ..... 487(4)
information asset management ..... 611(5)
information technology ..... 611(5)
inhalation ..... 245(2)
interface ..... 563(5)

ionization ..... 689(6)
IR frequency calibrations ..... 409(4)
IR wavenumber calibrations ..... 409(4)
isothermal compressibility ..... 335(3)
ITS-90 ..... 335(3)

K

kinematically constrained ..... 373(3)

L

laser ..... 327(3)
least-squares data-fitting ..... 471(4)
liquid hydrogen ..... 563(5)
liquid nitrogen ..... 563(5)
liquid-vapor ..... 563(5)

M

magnification standard ..... 267(2)
mechanical properties ..... 387(3)
memory propagation ..... 635(6)
meter performance ..... 509(5)
microspheres ..... 253(2)
microwave measurement ..... 533(5)
multichannel analyzer ..... 635(6)

N

neon ..... 1(1)
network analyzer ..... 533(5)
nitric oxide ..... 409(4)
nitrous oxide ..... 409(4)
nylon 6/6 ..... 245(2)
nylon ..... 245(2)

O

optical microscopy ..... 253(2)
optical properties ..... 693(6)
output flowmeter ..... 509(5)
overflow, underflow, and scaling ..... 471(4)

P

parallel computing ..... 471(4)
parallel link manipulator ..... 373(3)
partial discharges ..... 635(6)
particle sizing ..... 253(2)
phase distributions ..... 635(6)
photocurrent ..... 327(3)
planar near fields ..... 273(2)
platinum ..... 1(1), 213(1), 217(1)
polarized light microscopy ..... 693(6)
poly(chlorotrifluoroethylene) ..... 341(3)
polymer blends ..... 487(4)
polystyrene ..... 253(2)
precipitation ..... 365(3)
probe-position errors ..... 273(2)
pseudo-waves ..... 533(5)
pulsating phenomena ..... 635(6)

R

radiometer ..... 327(3)
Raman spectroscopy ..... 387(3)
reciprocity ..... 533(5)
reference impedance ..... 533(5)
refractive index ..... 693(6)
residual entropy ..... 341(3)
resistance thermometer ..... 563(5)
robot cranes ..... 373(3)
round-robin ..... 579(5)

S

scanning electron microscope ..... 267(2)
silicon nitride ..... 579(5)
silicon photodiode ..... 327(3)
single electron tunneling ..... 299(2)
six degrees of freedom ..... 373(3)
six meter model ..... 373(3)
solubility ..... 365(3)
solubility product ..... 365(3)
spectral atlas ..... 1(1)
spectrum ..... 1(1)
spinodal decomposition ..... 487(4)
standard reference material (SRM) .. 245(2), 253(2)
standards ..... 387(3)
Stewart platform ..... 373(3)
stochastic analyzer ..... 635(6)
surface sensor ..... 563(5)
symmetric level-index arithmetic ..... 471(4)

T

thermal conductivity ..... 387(3)
thermodynamic properties ..... 341(3)
time separation distributions ..... 635(6)
toxicity tests ..... 245(2)
transmission electron microscope ..... 267(2)
transmission line ..... 533(5)
traveling waves ..... 533(5)
Trichel pulses ..... 635(6)
turbine flowmeter ..... 509(5)

U

urinary stone formation ..... 365(*3*)

V

volumetric calibrator ..... 509(*5*)
volumetric standards ..... 335(*3*)

W

wattmeter ..... 673(*6*)
waveguide ..... 533(*5*)
wavelength ..... 1(*1*)
wavenumber tables ..... 409(*4*)
work platform ..... 373(*3*)

Z

zirconia ..... 579(*5*)

Volume 97, Number 6, November–December 1992
Journal of Research of the National Institute of Standards and Technology

Author Index to Volume 97

Numbers in parenthesis after the volume number are the issue numbers

No. 1 January-February
No. 2 March-April
No. 3 May-June
No. 4 July-August
No. 5 September-October
No. 6 November-December

A

Acquista, N.

Atlas of the Spectrum of a Platinum/Neon Hollow-Cathode Reference Lamp in the Region 1130-4330 Å. Sansonetti, J. E., Reader, J., Sansonetti, C. J., and Acquista, N. **97**(*1*), 1 (1992).

Alarie, Y.

The Development of a Standard Reference Material for Calibration of the University of Pittsburgh Smoke Toxicity Method for Assessing the Acute Inhalation Toxicity of Combustion Products. Levin, B. C., Alarie, Y., Stock, M. F., and Schiller, S. B. **97**(*2*), 245 (1992).

Albus, J.

The NIST SPIDER, a Robot Crane. Albus, J., Bostelman, R., and Dagalakis, N. **97**(*3*), 373 (1992).

B

Babić-Ivančić, V.

Precipitation and Solubility of Calcium Hydrogenurate Hexahydrate. Babić-Ivančić, V., Füredi-Milhofer, H., Brničević, N., and Marković, M. **97**(*3*), 365 (1992).

Bar-on, I.

Fracture Toughness of Advanced Ceramics at Room Temperature. Quinn, G. D., Salem, J., Bar-on, I., Cho, K., Foley, M., and Fang, H. **97**(*5*), 579 (1992).

Beetz, C. P.

Workshop on Characterizing Diamond Films. Feldman, A., Beetz, C. P., Drory, M., and Holly, S. **97**(*3*), 387 (1992).

Belzer, B.

Optical Calibration of a Submicrometer Magnification Standard. Geist, J., Belzer, B., Miller, M. L., and Roitman, P. **97**(*2*), 267 (1992).

Erratum: Optical Calibration of a Submicrometer Magnification Standard. Geist, J., Belzer, B., Miller, M. L., and Roitman, P. **97**(*5*), 609 (1992).

Blaise, J.

Energy Levels of Neutral Platinum. Blaise, J., Vergès, J., Wyart, J.-F., and Engleman, R., Jr. **97**(*1*), 213 (1992).

Energy Levels of Singly-Ionized Platinum. Blaise, J., and Wyart, J.-F. **97**(*1*), 217 (1992).

Bostelman, R.

The NIST SPIDER, a Robot Crane. Albus, J., Bostelman, R., and Dagalakis, N. **97**(*3*), 373 (1992).

Brničević, N.

Precipitation and Solubility of Calcium Hydrogenurate Hexahydrate. Babić-Ivančić, V., Füredi-Milhofer, H., Brničević, N., and Marković, M. **97**(*3*), 365 (1992).

C

Cernyar, E. W.

System for Measuring Conditional Amplitude, Phase, or Time Distributions of Pulsating Phenomena. Van Brunt, R. J., and Cernyar, E. W. **97**(*6*), 635 (1992).

Chang, S.-S.

Heat Capacity and Thermodynamic Properties of Poly(chlorotrifluoroethylene) From 2.5 to 620 K. Chang, S.-S., and Weeks, J. J. **97**(*3*), 341 (1992).

Cho, K.

Fracture Toughness of Advanced Ceramics at Room Temperature. Quinn, G. D., Salem, J., Bar-on, I., Cho, K., Foley, M., and Fang, H. **97**(*5*), 579 (1992).

D

Dagalakis, N.

The NIST SPIDER, a Robot Crane. Albus, J., Bostelman, R., and Dagalakis, N. **97**(*3*), 373 (1992).

Di Marzio, E. A.

Workshop on Polymer Blends. Di Marzio, E. A., and Han, C. C. **97**(*4*), 487 (1992).

Doiron, T. D.

Certification of NIST SRM 1962: 3 μm Diameter Polystyrene Spheres. Hartman, A. W., Doiron, T. D., and Fu, J. **97**(*2*), 253 (1992).

Drory, M.

Workshop on Characterizing Diamond Films. Feldman, A., Beetz, C. P., Drory, M., and Holly, S. **97**(*3*), 387 (1992).

E

Engleman, R., Jr.

Energy Levels of Neutral Platinum. Blaise, J., Vergès, J., Wyart, J.-F., and Engleman, R., Jr. **97**(*1*), 213 (1992).

F

Fang, H.

Fracture Toughness of Advanced Ceramics at Room Temperature. Quinn, G. D., Salem, J., Bar-on, I., Cho, K., Foley, M., and Fang, H. **97**(*5*), 579 (1992).

Feldman, A.

Workshop on Characterizing Diamond Films. Feldman, A., Beetz, C. P., Drory, M., and Holly, S. **97**(*3*), 387 (1992).

Foley, M.

Fracture Toughness of Advanced Ceramics at Room Temperature. Quinn, G. D., Salem, J., Bar-on, I., Cho, K., Foley, M., and Fang, H. **97**(*5*), 579 (1992).

Fu, J.

Certification of NIST SRM 1962: 3 μm Diameter Polystyrene Spheres. Hartman, A. W., Doiron, T. D., and Fu, J. **97**(*2*), 253 (1992).

Füredi-Milhofer, H.

Precipitation and Solubility of Calcium Hydrogenurate Hexahydrate. Babić-Ivančić, V., Füredi-Milhofer, H., Brničević, N., and Marković, M. **97**(*3*), 365 (1992).

G

Geist, J.

Optical Calibration of a Submicrometer Magnification Standard. Geist, J., Belzer, B., Miller, M. L., and Roitman, P. **97**(*2*), 267 (1992).

Erratum: Optical Calibration of a Submicrometer Magnification Standard. Geist, J., Belzer, B., Miller, M. L., and Roitman, P. **97**(*5*), 609 (1992).

Ghosh, R. N.

Measuring the Electron's Charge and the Fine-Structure Constant by Counting Electrons on a Capacitor. Williams, E. R., Ghosh, R. N., and Martinis, J. M. **97**(*2*), 299 (1992).

H

Han, C. C.

Workshop on Polymer Blends. Di Marzio, E. A., and Han, C. C. **97**(*4*), 487 (1992).

Harris, G. L.

ITS-90 Density of Water Formulation for Volumetric Standards Calibration. Jones, F. E., and Harris, G. L. **97**(*3*), 335 (1992).

Hartman, A. W.

Certification of NIST SRM 1962: 3 μm Diameter Polystyrene Spheres. Hartman, A. W., Doiron, T. D., and Fu, J. **97**(*2*), 253 (1992).

Holly, S.

Workshop on Characterizing Diamond Films. Feldman, A., Beetz, C. P., Drory, M., and Holly, S. **97**(*3*), 387 (1992).

J

Jargon, J. A.

High Power CW Wattmeter Calibration at NIST. Rebuldela, G., and Jargon, J. A. **97**(*6*), 673 (1992).

Jones, F. E.

ITS-90 Density of Water Formulation for Volumetric Standards Calibration. Jones, F. E., and Harris, G. L. **97**(*3*), 335 (1992).

K

Kim, Y.-K.

Compact Fitting Formulas for Electron-Impact Cross Sections. Kim, Y.-K. **97**(*6*), 689 (1992).

L

Levin, B. C.

The Development of a Standard Reference Material for Calibration of the University of Pittsburgh Smoke Toxicity Method for Assessing the Acute Inhalation Toxicity of Combustion Products. Levin, B. C., Alarie, Y., Stock, M. F., and Schiller, S. B. **97**(*2*), 245 (1992).

Lozier, D. W.

Symmetric Level Index Arithmetic in Simulation and Modeling. Lozier, D. W., and Turner, P. R. **97**(*4*), 471 (1992).

M

Maki, A. G.

New Wavenumber Calibration Tables From Heterodyne Frequency Measurements. Maki, A. G., and Wells, J. S. **97**(*4*), 409 (1992).

Marković, M.

Precipitation and Solubility of Calcium Hydrogenurate Hexahydrate. Babić-Ivančić, V., Füredi-Milhofer, H., Brničević, N., and Marković, M. **97**(*3*), 365 (1992).

Marks, R. B.

A General Waveguide Circuit Theory. Marks, R. B., and Williams, D. F. **97**(*5*), 533 (1992).

Martinis, J. M.

Measuring the Electron's Charge and the Fine-Structure Constant by Counting Electrons on a Capacitor. Williams, E. R., Ghosh, R. N., and Martinis, J. M. **97**(*2*), 299 (1992).

Mattingly, G. E.

The Characterization of a Piston Displacement-Type Flowmeter Calibration Facility and the Calibration and Use of Pulsed Output Type Flowmeters. Mattingly, G. E. **97**(*5*), 509 (1992).

Miller, M. L.

Optical Calibration of a Submicrometer Magnification Standard. Geist, J., Belzer, B., Miller, M. L., and Roitman, P. **97**(*2*), 267 (1992).

Erratum: Optical Calibration of a Submicrometer Magnification Standard. Geist, J., Belzer, B., Miller, M. L., and Roitman, P. **97**(*5*), 609 (1992).

Muth, L. A.

Probe-Position Error Correction in Planar Near Field Measurements at 60 GHz: Experimental Verification. Muth, L. A. **97**(*2*), 273 (1992).

N

Newton, J.

Data Administration Management Association Symposium. Newton, J. **97**(*5*), 611 (1992).

P

Phelps, J. M.

Accuracy of the Double Variation Technique of Refractive Index Measurement. Verkouteren, J. R., Steel, E. B., Windsor, E. S., and Phelps, J. M. **97**(*6*), 693 (1992).

Q

Quinn, G. D.

Fracture Toughness of Advanced Ceramics at Room Temperature. Quinn, G. D., Salem, J., Bar-on, I., Cho, K., Foley, M., and Fang, H. **97**(*5*), 579 (1992).

R

Reader, J.

Atlas of the Spectrum of a Platinum/Neon Hollow-Cathode Reference Lamp in the Region 1130-4330 Å. Sansonetti, J. E., Reader, J., Sansonetti, C. J., and Acquista, N. **97**(*1*), 1 (1992).

Rebuldela, G.

High Power CW Wattmeter Calibration at NIST. Rebuldela, G., and Jargon, J. A. **97**(*6*), 673 (1992).

Roitman, P.

Optical Calibration of a Submicrometer Magnification Standard. Geist, J., Belzer, B., Miller, M. L., and Roitman, P. **97**(*2*), 267 (1992).

Erratum: Optical Calibration of a Submicrometer Magnification Standard. Geist, J., Belzer, B., Miller, M. L., and Roitman, P. **97**(*5*), 609 (1992).

S

Salem, J.

Fracture Toughness of Advanced Ceramics at Room Temperature. Quinn, G. D., Salem, J., Bar-on, I., Cho, K., Foley, M., and Fang, H. **97**(*5*), 579 (1992).

Sansonetti, C. J.

Atlas of the Spectrum of a Platinum/Neon Hollow-Cathode Reference Lamp in the Region 1130-4330 Å. Sansonetti, J. E., Reader, J., Sansonetti, C. J., and Acquista, N. **97**(*1*), 1 (1992).

Sansonetti, J. E.

Atlas of the Spectrum of a Platinum/Neon Hollow-Cathode Reference Lamp in the Region 1130-4330 Å. Sansonetti, J. E., Reader, J., Sansonetti, C. J., and Acquista, N. **97**(*1*), 1 (1992).

Schiller, S. B.

The Development of a Standard Reference Material for Calibration of the University of Pittsburgh Smoke Toxicity Method for Assessing the Acute Inhalation Toxicity of Combustion Products. Levin, B. C., Alarie, Y., Stock, M. F., and Schiller, S. B. **97**(*2*), 245 (1992).

Siegwarth, J. D.

Resistive Liquid-Vapor Surface Sensors for Liquid Nitrogen and Hydrogen. Siegwarth, J. D., Voth, R. O., and Snyder, S. M. **97**(*5*), 563 (1992).

Snyder, S. M.

Resistive Liquid-Vapor Surface Sensors for Liquid Nitrogen and Hydrogen. Siegwarth, J. D., Voth, R. O., and Snyder, S. M. **97**(*5*), 563 (1992).

Steel, E. B.

Accuracy of the Double Variation Technique of Refractive Index Measurement. Verkouteren, J. R., Steel, E. B., Windsor, E. S., and Phelps, J. M. **97**(*6*), 693 (1992).

Stock, M. F.

The Development of a Standard Reference Material for Calibration of the University of Pittsburgh Smoke Toxicity Method for Assessing the Acute Inhalation Toxicity of Combustion Products. Levin, B. C., Alarie, Y., Stock, M. F., and Schiller, S. B. **97**(*2*), 245 (1992).

T

Thomas, D. B.

A Radiometer for Precision Coherent Radiation Measurements. Thomas, D. B., and Zalewski, E. F. **97**(*3*), 327 (1992).

Turner, P. R.

Symmetric Level Index Arithmetic in Simulation and Modeling. Lozier, D. W., and Turner, P. R. **97**(*4*), 471 (1992).

V

Van Brunt, R. J.

System for Measuring Conditional Amplitude, Phase, or Time Distributions of Pulsating Phenomena. Van Brunt, R. J., and Cernyar, E. W. **97**(*6*), 635 (1992).

Vergès, J.

Energy Levels of Neutral Platinum. Blaise, J., Vergès, J., Wyart, J.-F., and Engleman, R., Jr. **97**(*1*), 213 (1992).

Verkouteren, J. R.

Accuracy of the Double Variation Technique of Refractive Index Measurement. Verkouteren, J. R., Steel, E. B., Windsor, E. S., and Phelps, J. M. **97**(*6*), 693 (1992).

Voth, R. O.

Resistive Liquid-Vapor Surface Sensors for Liquid Nitrogen and Hydrogen. Siegwarth, J. D., Voth, R. O., and Snyder, S. M. **97**(*5*), 563 (1992).

W

Weeks, J. J.

Heat Capacity and Thermodynamic Properties of Poly(chlorotrifluoroethylene) From 2.5 to 620 K. Chang, S.-S., and Weeks, J. J. **97**(*3*), 341 (1992).

Wells, J. S.

New Wavenumber Calibration Tables From Heterodyne Frequency Measurements. Maki, A. G., and Wells, J. S. **97**(*4*), 409 (1992).

Williams, D. F.

A General Waveguide Circuit Theory. Marks, R. B., and Williams, D. F. **97**(*5*), 533 (1992).

Williams, E. R.

Measuring the Electron's Charge and the Fine-Structure Constant by Counting Electrons on a Capacitor. Williams, E. R., Ghosh, R. N., and Martinis, J. M. **97**(*2*), 299 (1992).

Windsor, E. S.

ccuracy of the Double Variation Technique of Refractive Index Measurement. Verkouteren, J. R., Steel, E. B., Windsor, E. S., and Phelps, J. M. **97**(*6*), 693 (1992).

Wyart, J.-F.

Energy Levels of Neutral Platinum. Blaise, J., Vergès, J., Wyart, J.-F., and Engleman, R., Jr. **97**(*1*), 213 (1992).

Energy Levels of Singly-Ionized Platinum. Blaise, J., and Wyart, J.-F. **97**(*1*), 217 (1992).

Z

Zalewski, E. F.

A Radiometer for Precision Coherent Radiation Measurements. Thomas, D. B., and Zalewski, E. F. **97**(*3*), 327 (1992).